VEEDOL INTERNATIONAL DMCC

Unit 1501 Indigo Icon Jumeirah Lakes Towers

P.O. Box No. 117019 Dubai UAE

Tel: +971-4-3688416 Fax: +971-4-3688418 E-mail: office@veedol.ae www.veedol.ae



MATERIAL SAFETY DATA SHEET

PRODUCT NAME	Sheet	1 of 3
VEEDOL BRAKE FLUID DOT 3	Revision No.	0
	Last Revision	
	Issue Date	26-09-2012

SECTION - I: PRODUCT AND COMPANY IDENTIFICATION

Trade Name ____ L BRAKE FLUID DOT 3

Manufacturer's / Supplier's Name VEEDOL INTERNATIONAL DMCC

Street Address 1501, Indigo Icon, JLT

City Dubai, UAE

P. O. Box 117019

Emergency Telephone No. +971 4 3688416

SECTION II: COMPOSITION AND INFORMATION ON INGREDIENTS

<u>Components</u>	<u>CAS NO.</u>
Propane	89399-28-0
Tetra ethylene glycole	112-60-7
Tri ethylene glycole	112-27-6
Di butoxy tetra glycol	112-98-1
Tetra ethylene glycole	4353-28-0

SECTION III: HAZARDOUS IDENTIFICATION

Hazards Under normal conditions of use, this product should

not cause any significant health hazards. However

a prolonged use may cause dermatitis

SECTION IV: FIRST AID MEASURES

Eye Contact Flush with large amount of water, get medical attention if irritation

persists.

Skin Contact Remove contaminated clothing, wash skin immediately with water

and soap.

In case of exposure to high concentration remove person to fresh air.

Ingestion Do not induce vomiting, get medical attention.

SECTION V: FIRE FIGHTING MEASURES

Boiling Point 240 Deg C

Extinguishing Media Carbon Dioxide, Dry Chemical or Foam, Water Spray.

Do not use water jets, they could cause splattering.

VEEDOL INTERNATIONAL DMCC

Unit 1501 Indigo Icon Jumeirah Lakes Towers

P.O. Box No. 117019 Dubai UAE

Tel: +971-4-3688416|Fax: +971-4-3688418 E-mail: office@veedol.ae | www.veedol.ae



PRODUCT NAME	Sheet	2 of 3
VEEDOL BRAKE FLUID DOT 3	Revision No.	0
	Last Revision	
	Issue Date	26-09-2012

SECTION VI: ACCIDENTAL RELEASE MEASURES

Environmental Protection Shut off source of spill. Recover free liquids by using

appropriate techniques. Notify local authorities.

SECTION VII: HANDLING AND STORAGE

Handling and Storage temp. Ambient to 60 Deg C

SECTION VIII: EXPOSURE CONTROLS / PERSONAL PROTECTION

Hand / Eyes / Skin Protection Wear goggles, protective clothing gloves

Ventilation No special ventilation required

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

Odour / Appearance Characteristic / Clear & Bright Liquid

Colour Transparent

Density @ 15 Deg 1.04 Kg / L

Solubility Soluble in both hydrocarbon solvents and water

SECTION X: STABILITY AND REACTIVITY

Stability Stable Product

Hazardous Reaction None

SECTION XI: TOXICOLOGICAL INFORMATION

Not Applicable

SECTION XII: ECOLOGICAL INFORMATION

General No specific environmental data available

SECTION XIII: DISPOSAL CONSIDERATIONS

Disposal of Product Do not dispose off the product either new or used, by

discharging into sewers, tunnels, lakes or water courses

VEEDOL INTERNATIONAL DMCC

Unit 1501 Indigo Icon Jumeirah Lakes Towers

P.O. Box No. 117019 Dubai UAE

Tel: +971-4-3688416|Fax: +971-4-3688418 E-mail: office@veedol.ae | www.veedol.ae



PRODUCT NAME	Sheet	3 of 3
VEEDOL BRAKE FLUID DOT 3	Revision No.	0
	Last Revision	
	Issue Date	26-09-2012

SECTION XIV: TRANSPORT INFORMATION

General Information Not dangerous for conveyance under UN, IMO, ADR/RID and

IATA/ICAO codes

SECTION XV: REGULATORY INFORMATION

Not Applicable

SECTION XVI: OTHER INFORMATION

DISCLAIMER

The data and information contained herein are being furnished for informational purposes only, upon the express condition that each customer shall make its own assessment of appropriate use, appropriate shipping, transfer and storage of materials manfactured by Veedol International DMCC. Although based on information sources it is considered to be accurate and reliable, Veedol International DMCC makes no warranty, either express or implied, including any warranties of merchantibility or fitness for a particular purpose, regarding the validity of this information, the information sources upon which the same are based, or results to be obtained, and expressely disclaims liabilities for damages or injuries resulting from the use thereof.