Unit 1501 Indigo Icon Jumeirah Lakes Towers

P.O. Box No. 117019 Dubai UAE

Tel: +971-4-3688416 Fax: +971-4-3688418 E-mail: office@veedol.ae | www.veedol.ae



# MATERIAL SAFETY DATA SHEET

PRODUCT NAME	Sheet	1 of 5
VEEDOL Syntron 5W-30	Revision No.	0
	Last Revision	
	Issue Date	02-07-2012

#### SECTION - I: PRODUCT AND COMPANY IDENTIFICATION

Trade Name VEEDOL Syntron 5W-30

Manufacturer's / Supplier's Name VEEDOL INTERNATIONAL DMCC

Street Address 1501, Indigo Icon, JLT

City Dubai, UAE P.O. Box 117019

Emergency Telephone No. +971 4 3688416

SECTION II: COMPOSITION

**Chemical Composition:** A mixture of high quality solvent refined hydrocarbon

base oils, synthetic esters and detergent/dispersant

performance additives

**Hazardous Components:** No component is present at sufficient concentration to

require a hazardous classification for health in accordance

with EC legislation

Components	CAS NO.
2,6-Di-tert-butylphenol	128-39-2
Phenol, dodecyl-, branched	125997-21-9
Diphenylamine	122-39-4

#### SECTION III: HAZARDS IDENTIFICATION

This product is not classified as hazardous under current Health:

> UK Health & Safety and Environmental Legislation when used in the application for which it is intended. However, prolonged or extensive skin contact with the product may result in skin disorders. The risk of skin disorders may be

increased if the product has become contaminated.

**SECTION IV: FIRST AID MEASURES** 

Do not induce vomiting. If conscious give 2 glasses of **Ingestion:** 

water and seek immediate medical attention.

**Eye Contact:** Ensure contact lenses are removed before rinsing. Wash

> eyes with plenty of water while lifting the eye lids and continue for 15 minutes. Seek medical attention if

discomfort persists.

Skin Contact: Remove contaminated clothing. Wash the skin with soap

and water. Get medical attention if discomfort persists.

Remove victim immediately to fresh air. If symptoms Inhalation:

persist seek medical attention.

Note to Physician: Treat symptomatically. Additional Information:

Unit 1501 Indigo Icon Jumeirah Lakes Towers

P.O. Box No. 117019 Dubai UAE

Tel: +971-4-3688416|Fax: +971-4-3688418 E-mail: office@veedol.ae| www.veedol.ae



PRODUCT NAME VEEDOL Syntron 5W-30	Sheet Revision No.	1 of 5 0
	Last Revision	
	Issue Date	02-07-2012

SECTION V: FIRE FIGHTING MEASURES

Flash Point: 220°C typical (COC)

Extinguishing Media: Stop flow of material to fire. Extinguish using Carbon

Dioxide, Dry powder, Foam. Use water spray to keep fire

exposed containers cool and to disperse vapours.

Special Fire Fighting Procedures: Avoid breathing fire vapours. If possible use self-contained

breathing equipment. Water may cause splattering. Material will float on water. Aim to prevent run-off water from

getting into sewers and water sources.

SECTION VI: ACCIDENTAL RELEASE MEASURES

Spill Procedure: Stop leak at source if possible without risk. Extinguish all

ignition sources; avoid sparks, flames, heat and smoking. Personal Protective Equipment (PPE) must be worn. Ventilate area if spillage occurred in a confined or poorly ventilated area. Absorb spillages using inert absorbent material and remove into plastic containers for proper

disposal

Environmental Precautions: Protect drains by covering to avoid any spillage entering the

drainage system. If any contamination of the drainage system occurs inform the local authorities, Fire Brigade and

Environment Agency.

<u>Disposal of Spillage Waste:</u> Consult local authority regulations or waste disposal

experts if in doubt

SECTION VII: HANDLING AND STORAGE

Handling: Protect against contact with eyes. If splashing is likely to

occur wear a full face visor or safety goggles as appropriate. Avoid frequent or prolonged skin contact with fresh or

used product. Avoid breathing mists or vapours.

Fire Prevention: Product soaked rags, paper or absorbent material represent

a fire hazard and should not be allowed to accumulate.

Storage: Avoid undue exposure to heat and ignition sources. Store in

tightly sealed original containers in a cool, dry and well

ventilated location.

Unit 1501 Indigo Icon Jumeirah Lakes Towers

P.O. Box No. 117019 Dubai UAE

Tel: +971-4-3688416|Fax: +971-4-3688418 E-mail: office@veedol.ae| www.veedol.ae



PRODUCT NAME	Sheet	1 of 5
VEEDOL Syntron 5W-30	Revision No.	0
	Last Revision	
	Issue Date	02-07-2012

SECTION VIII: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits: None Established

<u>Control Measures:</u> Use only in well ventilated areas. If engineering controls do

not reduce airborne vapours to an acceptable level, use

suitable respiratory equipment

Hand Protection: Wear chemical resistant gloves made from impermeable

material, (e.g. neoprene).

<u>Eye Protection:</u> Wear approved safety goggles or safety glasses.

Respiratory Protection: Under normal conditions a respirator is not usually

required, but if deemed necessary use an NIOSH/MSHA

approved disposable dust/mist mask.

Body Protection: Wear PPE issue work clothes and chemically resistant

safety shoes.

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Golden/Brown liquid

pH: Not determined

Specific Gravity: 0.850 - 0.870 at  $15^{\circ}$ C

Solubility: Insoluble in water.

Odour: Mild

<u>Viscosity:</u> Approx. 62 cSt at 40°C

Approx. 12 cSt at 100°C

Boiling Point: Not determined

Pour Point: -40°C

SECTION X: STABILITY AND REACTIVITY

Stability: Material is normally stable at moderately elevated

temperatures and pressures

Incompatibility: None known, avoid contact with reactive

chemicals

<u>Thermal Decomposition Products:</u> Releases smoke, oxides of carbon and other products of

incomplete combustion. Hydrogen sulphide, alkyl mercaptans and sulphides may also be released.

Unit 1501 Indigo Icon Jumeirah Lakes Towers

P.O. Box No. 117019 Dubai UAE

Tel: +971-4-3688416|Fax: +971-4-3688418 E-mail: office@veedol.ae| www.veedol.ae



PRODUCT NAME VEEDOL Syntron 5W-30	Sheet Revision No.	1 of 5
VEED OE Symbol 5 W 30	Last Revision	
	Issue Date	02-07-2012

SECTION XI: TOXICOLOGICAL INFORMATION

Materials used have been shown to be of low toxicity, but best practice dictates that prolonged exposure and contact should be avoided

Eye Irritation: Unlikely to cause more than transient stinging or reddening

if accidental eye contact occurs.

Skin Irritation: Not expected to be a primary skin irritant\*. Prolonged or

repeated skin contact may lead to dermatitis.

Respiratory Irritation: Prolonged exposure to oil mists / vapours may cause

irritation of mucous membranes and the upper respiratory

tract.\*.

Dermal Toxicity: LD50 > 2000 mg/kg\* (rabbits)

Inhalation Toxicity: No data to suggest product may be a toxic inhalation hazard

Oral Toxicity: LD50 > 5000 mg/kg\* (rats)

<u>Dermal Sensitization:</u> No data available to indicate product or components may

be a skin sensitizer

<u>Inhalation Sensitization:</u> No data available to indicate product or components may

be respiratory sensitizers

Chronic Toxicity: No data available to indicate product or components

present at greater than 1.0% are chronic health hazards

<u>Carcinogenicity:</u> No data available to indicate product or components

present at greater than 0.1% may present a carcinogenic

hazard

Reproductive Toxicity: No data available to indicate product or components

present at greater than 0.1% may cause reproductive

toxicity

Teratogenicity: No data available to indicate product or components

present at greater than 0.1% may cause birth defects

Other: No other health hazards known

Contains synthetic mineral oil. Under working conditions which may generate mists observe the US OSHA PEL of 5

mg.m-3 and ACGIH STEL of 10 mg.m-3

SECTION XII: ECOLOGICAL INFORMATION

Water: Material floats on water. Individual components range from

readily to poorly biodegradable, however small spillages into water will be dispersed by evaporation and/or

biodegradation.

Soil: Small quantities will be absorbed into the upper soil layers

where biodegradation may take place. Larger quantities may penetrate to anaerobic soil layers where some organic

compounds may persist.

Aquatic Toxicity: May be harmful to aquatic organisms. Spills may form a

film on water surfaces causing physical damage to organisms. Oxygen transfer may also be impaired.

Unit 1501 Indigo Icon Jumeirah Lakes Towers

P.O. Box No. 117019 Dubai UAE

Tel: +971-4-3688416|Fax: +971-4-3688418 E-mail: office@veedol.ae| www.veedol.ae



PRODUCT NAME VEEDOL Syntron 5W-30	Sheet Revision No.	1 of 5 0
	Last Revision	
	Issue Date	02-07-2012

#### SECTION XIII: DISPOSAL CONSIDERATIONS

This material may be disposed of via an authorised waste/disposal company in accordance with Local and/or National Waste Disposal regulations and the Environmental Protection Act, 1990. If possible, arrange for material to be recycled.

SECTION XIV: TRANSPORT INFORMATION

UN Number:Not ApplicableIMDG:Not ApplicableICAO:Not ApplicableADR/RID Hazard:Not Applicable

SECTION XV: REGULATORY INFORMATION

<u>Hazard Label Data:</u> This product is not classified as dangerous for supply in the

UK

EC Directives: Framework Waste Directive, 91/156/EEC

Waste Oil Directive 87/101/EEC

Statutory Instruments: Health & Safety at Work Act, 1974

Environmental Protection Act, 1990

Control of Substances Hazardous to Health, 1988 Chemicals (Hazard Information and Packaging)

Regulations, 1993

SECTION XVI: OTHER INFORMATION

#### DISCLAIMER:

The data and information contained herein are being furnished for informational purposes only, upon the express condition that each customer shall make its own assessment of appropriate use, appropriate shipping, transfer and storage of materials manfactured by Veedol International DMCC. Although based on information sources it is considered to be accurate and reliable, Veedol International DMCC makes no warranty, either express or implied, including any warranties of merchantibility or fitness for a particular purpose, regarding the validity of this information, the information sources upon which the same are based, or results to be obtained, and expressely disclaims liabilities for damages or injuries resulting from the use thereof.