VEEDOL INTERNATIONAL DMCC

Unit 1501 Indigo Icon Jumeirah Lakes Towers P.O.

Box No. 117019 Dubai UAE

Tel: +971-4-3688416 Fax: +971-4-3688418 E-mail: office@veedol.ae | www.veedol.ae



Identification of the Substance/Preparation and the Company/Undertaking

Substance or Preparation Trade Name: Veedol Syntron 0W-20

Unique Reference Number(s):

Company/Undertaking Name & VEEDOL INTERNATIONAL DMCC

Address

1501, Indigo Icon, JLT

Dubai, UAE 117019

Telephone Number: +44(0)1527 502252 **Emergency Telephone No.** +971 4 3688416

Composition

Chemical Composition: A mixture of synthetic hydrocarbons, synthetic esters,

pour point depressant, viscosity modifier and a unique

high performance additive package.

No component is present at sufficient concentration to **Hazardous Components:**

require a hazardous classification for health in

accordance with EC legislation.

Components	<u>CAS NO.</u>
p-Dodecylphenol	104-43-08

Hazards Identification 3.

Health:

This product is not classified as hazardous under current UK Health & Safety and Environmental Legislation when used in the application for which it is intended. However, prolonged or extensive skin contact with the product may result in skin disorders. The risk of skin disorders may be increased if the product has become contaminated.

First Aid Measures

Ingestion: Do not induce vomiting. If conscious give 2 glasses of

water and seek immediate medical attention.

Eye Contact: Ensure contact lenses are removed before rinsing. Wash

> eyes with plenty of water while lifting the eye lids and continue for 15 minutes. Seek medical attention if

discomfort persists.

Skin Contact: Remove contaminated clothing. Wash the skin with soap

and water. Get medical attention if discomfort persists.

Inhalation: Remove exposed person to fresh air immediately. If

symptoms persist seek medical attention.

Additional Information: Note to Physician: Treat symptomatically. 5. **Fire Fighting Measures**

Flash Point: 220°C typical (COC)

Extinguishing Media: Stop flow of material to fire. Extinguish using Carbon

Dioxide, Dry powder, Foam.

Avoid breathing fire vapours. If possible use self-**Special Fire Fighting Procedures:**

contained breathing equipment. Water may cause splattering. Material will float on water. Aim to prevent run-off water from getting into sewers and water sources. Use water spray to keep fire exposed containers cool and

to disperse vapours.

Accidental Release Measures

Spill Procedure: Stop leak at source if possible without risk. Extinguish all

> ignition sources; avoid sparks, flames, heat and smoking. Personal Protective Equipment (PPE) must be worn. Ventilate area if spillage occurred in a confined or poorly ventilated area. Absorb spillages using inert absorbent material and remove into plastic containers for proper

disposal

Environmental Precautions: Protect drains by covering to avoid any spillage entering

> the drainage system. If any contamination of the drainage system occurs inform the local authorities, Fire Brigade

and Environment Agency.

Consult local authority regulations or waste disposal **Disposal of Spillage Waste:**

experts if in doubt

Handling and Storage

Handling: Protect against contact with eyes. If splashing is likely to

> occur wear a full face visor or safety goggles as appropriate. Avoid frequent or prolonged skin contact with fresh or used product. Avoid breathing mists or

vapours.

Fire Prevention: Product soaked rags, paper or absorbent material

represent a fire hazard and should not be allowed to

accumulate.

Storage: Avoid undue exposure to heat and ignition sources. Store

in tightly sealed original containers in a cool, dry and

well ventilated location.

Exposure Controls / Personal Protection

Exposure Limits: None established

Control Measures: Use only in well ventilated areas. If engineering controls

do not reduce airborne vapours to an acceptable level,

use suitable respiratory equipment

Wear chemical resistant gloves made from impermeable **Hand Protection:**

material, (e.g. neoprene).

Eye Protection: Wear approved safety goggles or safety glasses. **Respiratory Protection:**

Under normal conditions a respirator is not usually

required, but if deemed necessary use an NIOSH/MSHA

approved disposable dust/mist mask.

Body Protection: Wear PPE issue work clothes and chemically resistant

safety shoes.

9. Physical and Chemical Properties

Physical State: Amber liquid pH:

Not determined 0.855 at 15°C Insoluble in water.

Odour: Mild

Viscosity: Approx. 38 cSt at 40°C

Approx. 8.1 cSt at 100°C

Boiling Point: Not determined

Pour Point: -48°C

10. Stability and Reactivity

Specific Gravity:

Solubility:

Stability: Material is normally stable at moderately elevated

temperatures and pressures

Incompatibility: None known, avoid contact with reactive chemicals

Thermal Decomposition Products: Releases smoke, oxides of carbon and other products of

incomplete combustion. Hydrogen sulphide, alkyl mercaptans and sulphides may also be released.

11. Toxicological Information

Materials used have been shown to be of low toxicity, but best practice dictates that prolonged

exposure and contact should be avoided

Eye Irritation: Unlikely to cause more than transient stinging or

reddening if accidental eye contact occurs.

Skin Irritation: Not expected to be a primary skin irritant*. Prolonged or

repeated skin contact may lead to dermatitis.

Respiratory Irritation: Prolonged exposure to oil mists / vapours may cause

irritation of mucous membranes and the upper respiratory

tract.*.

Dermal Toxicity: LD50 > 2000 mg/kg* (rabbits)

Inhalation Toxicity: No data to suggest product may be a toxic inhalation

hazard

Oral Toxicity: LD50 > 5000 mg/kg* (rats)

Dermal Sensitization: No data available to indicate product or components may

be a skin sensitizer

Inhalation Sensitization: No data available to indicate product or components may

be respiratory sensitizers

Chronic Toxicity: No data available to indicate product or components

present at greater than 1.0% are chronic health hazards

Carcinogenicity: No data available to indicate product or components

present at greater than 0.1% may present a carcinogenic

hazard

Reproductive Toxicity:No data available to indicate product or components

present at greater than 0.1% may cause reproductive

toxicity

Teratogenicity: No data available to indicate product or components

present at greater than 0.1% may cause birth defects

Other: No other health hazards known

Contains synthetic mineral oil. Under working conditions which may generate mists observe the US OSHA PEL of

5 mg.m⁻³ and ACGIH STEL of 10 mg.m⁻³

12. Ecological Information

Water: Material floats on water. Individual components range

from readily to poorly biodegradable, however small spillages into water will be dispersed by evaporation

and/or biodegradation.

Soil: Small quantities will be absorbed into the upper soil

layers where biodegradation may take place. Larger quantities may penetrate to anaerobic soil layers where

some organic compounds may persist.

Aquatic Toxicity: May be harmful to aquatic organisms. Spills may form a

film on water surfaces causing physical damage to organisms. Oxygen transfer may also be impaired.

13. Disposal Considerations

This material may be disposed of via an authorised waste/disposal company in accordance with Local and/or National Waste Disposal regulations and the Environmental Protection Act, 1990. If possible, arrange for material to be recycled.

14. Transport Information

UN Number:

IMDG:
Not Applicable
Not Applicable
ICAO:
Not Applicable
Not Applicable
Not Applicable

15. Regulatory Information

Hazard Label Data: This product is not classified as dangerous for supply in

the UK

EC Directives: Framework Waste Directive, 91/156/EEC

Waste Oil Directive 87/101/EEC

Statutory Instruments: Health & Safety at Work Act, 1974

Environmental Protection Act, 1990

Control of Substances Hazardous to Health, 1988 Chemicals (Hazard Information and Packaging)

Regulations, 1993

16. Other Information

DISCLAIMER:

The data and information contained herein are being furnished for informational purposes only, upon the express condition that each customer shall make its own assessment of appropriate use, appropriate shipping, transfer and storage of materials manfactured by Veedol International DMCC. Although based on information sources it is considered to be accurate and reliable, Veedol International DMCC makes no warranty, either express or implied, including any warranties of merchantibility or fitness for a particular purpose, regarding the validity of this information, the information sources upon which the same are based, or results to be obtained, and expressely disclaims liabilities for damages or injuries resulting from the use thereof.